




Professional Aquarium Lighting & Accessories



Product
Specification
Guide

Light Is Life!

Let's face it, without light, nothing can exist.

Since 1988, we have provided that light through innovative, unique technologies that literally capture the light of nature and (pardon the pun) have shed a whole new light on the aquarium industry. This past year has been no exception to the rule. NEW products and NEW packaging!

A great addition to our lighting lineup is the NEW '75.25'. This new "color" which boasts 75% pure actinic 03 phosphor and 25% tri-band phosphor, with an output of 460nm, and 14000K color temperature is sure to be an instant favorite with your customers. Better yet, it is available in our NEW 'T5 V-HO lamp' format. The first of its kind, a "variable output" lamp which can work as either HO or VHO. Unique patented engineering allows it to last longer and run more consistent than the conventional T5 HO lamps on the market.

That's not all! Our NEW 'PC-R', the first 180° silver oxide reflector that has 35% and enhances marine life. Available in

Still more! The NEW 'T10 TWIST VHO', 20% more light output and 5% less T12 VHO lamp.



ever power compact that has a built-in more light output actually grows corals Dual Color Technology™.

an awesome design that provides energy consumption than the standard

All of these great NEW products that join our existing product family, are now available in our NEW dazzling, full color, packaging.

Your business is important to us, and, with the addition of all these great products, we hope to help make your company all the more profitable. We at UV Lighting Company consistently strive to provide the best quality product and customer service that your company deserves. We feel the only way to succeed is to take care of our customers the way that you take care of yours.

UV Lighting Company, formerly known as Ultraviolet Resources International, has been family owned and operated for over 19 years. "UVH₂OLOGY", the study of light and water, is what we are all about. We are committed to you and the knowledge of marine and aquacultural lighting.

Continued success to you~ our valued customer!



Table of Contents



T12 VHO 2~3

UVL Tri-Fold Brochure 4

T5 V-HO 5

Ushio® Aqualite 6

Power Compact-R 7

UVL Aquarium Lighting Poster 8

T10 Twist VHO 9

Aquarium Retro Fit Kits 10

Germicidal & Accessories 11


Aqua D-Light 11

Aquarium Ballasts 12

T12 VHO

75.25™ PROFESSIONAL SERIES

VERY HIGH OUTPUT	ORDER #	WATTS	LENGTH	CASE
FR20T12/03/VHO	20/75.25/V	75W	24"	24
FR30T12/03/VHO	30/75.25/V	95W	36"	24
FR40T12/03/VHO	40/75.25/V	110W	48"	24
FR48T12/03/VHO	48/75.25/V	110W	46.5"	24
FR59T12/03/VHO	59/75.25/V	140W	60"	24
FR72T12/03/VHO	72/75.25/V	160W	72"	24



75.25™ AQUARIUM LIGHTING


- 180° Internal Reflector
- 75% Actinic Spectrum, 25% White Spectrum
- Color temperature 14,000°K 460NM
- Useful Life 4500 hrs.

AQUASUN™ PROFESSIONAL SERIES

NORMAL OUTPUT	UVL ORDER #	WATTS	LENGTH	CASE
AQUASUN 1	1/AQ	15W	18"	24
AQUASUN 2	2/AQ	20W	24"	24
AQUASUN 3	3/AQ	30W	36"	24
AQUASUN 4	4/AQ	40W	48"	24

VERY HIGH OUTPUT

AQUASUN 1/VHO	1/AQ/V	30W	18"	24
AQUASUN 2/VHO	2/AQ/V	75W	24"	24
AQUASUN 3/VHO	3/AQ/V	95W	36"	24
AQUASUN 4/VHO	4/AQ/V	110W	48"	24
AQUASUN 48/VHO	48/AQ/V	110W	46.5"	24
AQUASUN 6/VHO	6/AQ/V	140W	60"	24
AQUASUN 7/VHO	7/AQ/V	160W	72"	24



AQUASUN™ AQUARIUM LIGHTING

- 180° Internal Reflector
- 100% Tri-Band White Spectrum
- Color temperature 10,000°K
- Useful Life VHO 4500 hrs.




ACTINIC WHITE™ PROFESSIONAL SERIES

NORMAL OUTPUT	UVL ORDER #	WATTS	LENGTH	CASE
FR15T12/ATW	15/ATW	15W	18"	24
FR20T12/ATW	20/ATW	20W	24"	24
FR30T12/ATW	30/ATW	30W	36"	24
FR40T12/ATW	40/ATW	40W	48"	24

VERY HIGH OUTPUT

FR15T12/ATW/VHO	15/ATW/V	30W	18"	24
FR20T12/ATW/VHO	20/ATW/V	75W	24"	24
FR30T12/ATW/VHO	30/ATW/V	95W	36"	24
FR40T12/ATW/VHO	40/ATW/V	110W	48"	24
FR48T12/ATW/VHO	48/ATW/V	110W	46.5"	24
FR59T12/ATW/VHO	59/ATW/V	140W	60"	24
FR72T12/ATW/VHO	72/ATW/V	160W	72"	24



ACTINIC WHITE™ AQUARIUM LIGHTING


- 180° Internal Reflector
- 50% Actinic 03 and 50% White Spectrum
- Color temperature 12,000°K
- Useful Life 4500 hrs.

SUPER ACTINIC™ PROFESSIONAL SERIES

NORMAL OUTPUT	UVL ORDER #	WATTS	LENGTH	CASE
FR15T12/03	15/03	15W	18"	24
FR20T12/03	20/03	20W	24"	24
FR30T12/03	30/03	30W	36"	24
FR40T12/03	40/03	40W	48"	24

VERY HIGH OUTPUT


FR15T12/03/VHO	15/03/V	30W	18"	24
FR20T12/03/VHO	20/03/V	75W	24"	24
FR30T12/03/VHO	30/03/V	95W	36"	24
FR40T12/03/VHO	40/03/V	110W	48"	24
FR48T12/03/VHO	48/03/V	110W	46.5"	24
FR59T12/03/VHO	59/03/V	140W	60"	24
FR72T12/03/VHO	72/03/V	160W	72"	24



SUPER ACTINIC™ AQUARIUM LIGHTING

- 180° Internal Reflector
- 100% Blue Spectrum, Peaks at 420NM
- Color temperature cannot be computed
- Useful Life 4500 hrs.

T12 VHO




Ask for Our *New!* Promotional
TRI-FOLD BROCHURE



Let UV Lighting Company expand your sales with this colorful and informative tri-fold brochure. A quick reference guide of UV Lighting Company's aquarium lighting products. Includes easy to read charts and spectral graphs. Bundled in 25 packs and available with your order upon request .

75.25™ PROFESSIONAL SERIES




DESCRIPTION	UVL ORDER #	WATTS	LENGTH	CASE
F54T5/V-HO	F54/75.25	54/85W	46"	24
F39T5/V-HO	F39/75.25	39/60W	34"	24
F24T5/V-HO	F24/75.25	24/40W	22"	24

75.25™ AQUARIUM LIGHTING

- 75% Actinic 03 & 25% Tri-Band Phosphor
- Best Used for Saltwater Tanks with Live Coral Applications
- Adds vital Life Supporting Properties
- Color temperature 14,000°K 460NM
- Useful Life 4500 hrs.

AQUASUN™ PROFESSIONAL SERIES




DESCRIPTION	UVL ORDER	#WATTS	LENGTH	CASE
F54T5/V-HO	F54/AQ	54/85W	46"	24
F39T5/V-HO	F39/AQ	39/60W	34"	24
F24T5/V-HO	F24/AQ	24/40W	22"	24

AQUASUN™ AQUARIUM LIGHTING

- 100% Tri-Band White Spectrum
- Color temperature 10,000°K
- Useful Life 4500 hrs.

SUPER ACTINIC™ PROFESSIONAL SERIES




DESCRIPTION	UVL ORDER #	WATTS	LENGTH	CASE
F54T5/V-HO	F54/03	54/85W	46"	24
F39T5/V-HO	F39/03	39/60W	34"	24
F24T5/V-HO	F24/03	24/40W	22"	24

SUPER ACTINIC™ AQUARIUM LIGHTING

- 100% Blue Spectrum, Peaks at 420NM
- Useful Life 4500 hrs.

ACTINIC WHITE™ PROFESSIONAL SERIES




DESCRIPTION	UVL ORDER #	WATTS	LENGTH	CASE
F54T5/V-HO	F54/ATW	54/85W	46"	24
F39T5/V-HO	F39/ATW	39/60W	34"	24
F24T5/V-HO	F24/ATW	24/40W	22"	24

ACTINIC WHITE™ AQUARIUM LIGHTING

- 50% Actinic 03 / 50% Tri-Band White Spectrum
- Color temperature 12,000°K
- Useful Life 4500 hrs.

T5 V-HO



SINGLE ENDED MOGUL BASE T15

DESCRIPTION	UVL ORDER #	USHIO #	CASE
MH175/MOG/T15/10K	AQ175/T15/10K	5000761	12
MH175/MOG/T15/14K	AQ175/T15/14K	5001591	12
MH175/MOG/T15/20K	AQ175/T15/20K	5000440	12
MH250/MOG/T15/10K	AQ250/T15/10K	5001070	12
MH400/MOG/T15/10K	AQ400/T15/10K	5000760	12
MH400/MOG/T15/14K	AQ400/T15/14K	5001608	12
MH400/MOG/T15/20K	AQ400/T15/20K	5001607	12


DOUBLE ENDED

DESCRIPTION	UVL ORDER #	USHIO #	CASE
MH70W/DE/10K	AQ70/DE/10K	5000870	10
MH70W/DE/20K	AQ70/DE/20K	5001606	10
MH150W/DE/10K	AQ150/DE/10K	5000440	10
MH150W/DE/14K	AQ150/DE/14K	5001587	10
MH150W/DE/20K	AQ150/DE/20K	5001588	10
MH250W/DE/10K	AQ250/DE/10K	5000763	10
MH250W/DE/14K	AQ250/DE/14K	5001589	10
MH250W/DE/20K	AQ250/DE/20K	5001590	10

MIX-N-MATCH PRICING

Purchase any 12 T15 or 10 Double Ended to get Mix-N-Match Pricing






A Whole *New!* Perspective in PC Lighting

SQUARE PIN BASE

UVL PART #	DESCRIPTION	CASE
96/ATW/SQ	96WATT ACTINIC WHITE (12K) SQUARE PIN	20
96/03/SQ	96WATT SUPER ACTINIC (420nm) SQUARE PIN	20
96/75.25/SQ	96WATT 75.25 (14K) SQUARE PIN	20
96/ATW/03/SQ	96WATT ACTINIC WHITE (12K) / SUPER ACTINIC (420nm) SQUARE PIN	20
96/03/75.25/SQ	96WATT SUPER ACTINIC (420nm) / 75.25 (14K) SQUARE PIN	20
65/ATW/SQ	65WATT ACTINIC WHITE (12K) SQUARE PIN	20
65/03/SQ	65WATT SUPER ACTINIC (420nm) SQUARE PIN	20
65/75.25/SQ	65WATT 75.25 (14K) SQUARE PIN	20
65/ATW/03/SQ	65WATT ACTINIC WHITE (12K) / SUPER ACTINIC (420nm) SQUARE PIN	20
65/03/75.25/SQ	65WATT SUPER ACTINIC (420nm) / 75.25 (14K) SQUARE PIN	20



STRAIGHT PIN BASE

UVL PART #	DESCRIPTION	CASE
96/ATW/ST	96WATT ACTINIC WHITE (12K) STRAIGHT PIN	20
96/03/ST	96WATT SUPER ACTINIC (420nm) STRAIGHT PIN	20
96/75.25/ST	96WATT 75.25 (14K) STRAIGHT PIN	20
96/ATW/03/ST	96WATT ACTINIC WHITE (12K) / SUPER ACTINIC (420nm) STRAIGHT PIN	20
96/03/75.25/ST	96WATT SUPER ACTINIC (420nm) / 75.25 (14K) STRAIGHT PIN	20
65/ATW/ST	65WATT ACTINIC WHITE (12K) STRAIGHT PIN	20
65/03/ST	65WATT SUPER ACTINIC (420nm) STRAIGHT PIN	20
65/75.25/ST	65WATT 75.25 (14K) STRAIGHT PIN	20
65/ATW/03/ST	65WATT ACTINIC WHITE (12K) / SUPER ACTINIC (420nm) STRAIGHT PIN	20
65/03/75.25/ST	65WATT SUPER ACTINIC (420nm) / 75.25 (14K) STRAIGHT PIN	20



PC-R™ AQUARIUM LIGHTING

- 180° Internal Reflector
- Useful Life 4500 hrs.
- Square Pin & Straight Pin Configurations.

Aquarium Lighting Guide **Poster**

UV lighting company

Professional Aquarium Lighting Guide

UV H2OLOGY
Capture the Light of Nature

Super Actinic R™

The most widely used aquarium lamp on the market. Great for reef applications and coral enhancement.

- 180° internal reflector
- Allows 40% more light output- T12 & PC-R
- Peaks at 420nm
- 100% blue spectrum

Actinic White

The first of its kind to offer a 50/50 combination of bi-band and actinic phosphors. High performance upgrade is great for coral, live rock and related marine life.

- 180° internal reflector
- Allows 40% more light output- T12 & PC-R
- Kelvin Temperature: 12,000

75.25™

The first of its kind to offer 75%/25% combination of Actinic & Bi-band phosphors. Upgrade for all aquaculture & marine life.

- 180° internal reflector
- Allows 40% more light output- T12 & PC-R
- Peaks at 460nm
- Kelvin Temp 14,000k

Aquasun™

The best technologically advanced aquarium lamp containing a mixture of unique tri-band phosphors. Excellent for marine applications, hard coral, plants and salt water tanks.

- 180° internal reflector
- Allows 40% more light output- T12 only
- Kelvin Temperature 10,000


www.uvlco.com

© 2007 Copyright UV Lighting Company

UV Lighting Company wants your customers to know you choose to carry the best aquarium lighting on the market. This Professional Aquarium Lighting Guide Poster is colorful and informative.

Available FREE with your order upon request.

T10 TWIST VHO



A Whole *New!* Twist on
Aquarium Lighting. Optimum Performance
at an Affordable Price.

UVL PART#	DESCRIPTION	CASE
40/ATW/VHO-T	Actinic White 12,000k 90W T10 VHO Twist	24
40/O3/VHO-T	Super Actinic 420nm 90W T10 VHO Twist	24
40/AQ/VHO-T	Aquasun 10,000k 90W T10 VHO Twist	24
40/75.25/VHO-T	75.25 14,000k 90W T10 VHO Twist	24

T10 Twist™ AQUARIUM LIGHTING

- The T10 Twist VHO has 32% more surface glass which allows 20% more light output.
- **Energy Efficient Technology.** 90 watt VHO with higher lumen and par values than T12 VHO's.
- UV Lighting Company's exclusive blends of phosphor to enhance all your aquarium applications, fresh or saltwater.
- Useful Life VHO 4500 hrs.



Aquarium Retro Fit Kits

New!

*Conveniently Packed in One Box
& Ready for Sale!*

6 Lamp F54/85 T5 V-HO

UVL PART# 6L85WT5/RETRO

KIT INCLUDES	QUANTITY
F54/ATW	2
F54/75.25	2
F54/03	2
IC/A4 PLUS	2
IC/T5 ENDCAP	6 pr
IC/T5 STANDOFF	6 pr
IC/SLR47	6
POWER CORD	1

YOUR COST \$451.00



MSRP \$662.00

4 Lamp F54/85 T5 V-HO

UVL PART# 4L85WT5/RETRO

KIT INCLUDES	QUANTITY
F54/ATW	1
F54/75.25	1
F54/03	2
IC/A4 PLUS	1
IC/T5 ENDCAP	4 pr
IC/T5 STANDOFF	4 pr
IC/SLR47	4
POWER CORD	1

YOUR COST \$269.00



MSRP \$399.00

4 Lamp F39/60 T5 V-HO

UVL PART# 4L60WT5/RETRO

KIT INCLUDES	QUANTITY
F39/ATW	1
F39/75.25	1
F39/03	2
IC/A4 PLUS	1
IC/T5 ENDCAP	4 pr
IC/T5 STANDOFF	4 pr
IC/SLR35	4
POWER CORD	1

YOUR COST \$261.00



MSRP \$395.00

4 Lamp 48" T12 VHO

UVL PART# 4L110WT12/RETRO

KIT INCLUDES	QUANTITY
40/ATW/V	1
40/75.25/V	1
40/03/V	2
IC/A4 PLUS	1
S15200RP	4 pr
M243	4 pr
POWER CORD	1

YOUR COST \$198.60



MSRP \$295.00

2 Lamp 72" T12 VHO


UVL PART# 2L160WT12/RETRO

KIT INCLUDES	QUANTITY
72/ATW/V	1
72/03/V	1
IC/A4 PLUS	1
S15200RP	2 pr
M243	2 pr
POWER CORD	1

YOUR COST \$165.00



MSRP \$274.95



UVL PART#	DESCRIPTION	CASE
G15T8	15 WATT T8 18" BI-PIN	12
G25T8	20 WATT T8 24" BI-PIN	12
G30T8	30 WATT T8 36" BI-PIN	12



GERMAN WATER RESISTANT SOCKETS & ACRYLIC MOUNTS

UVL PART#	DESCRIPTION	CASE
S 15200RP	2PK T12 SCREW MOUNT ENDCAP SOCKETS	25
M243	2PK ACRYLIC MOUNT FOR T12 SOCKETS	25

Aqua D-LIGHT

The Economical Performance Choice.

UVL PART#	DESCRIPTION	CASE
AD48/WHITE	12,000k Actinic White 40W No Reflector	24
AD48/WHITE/VHO	12,000k Actinic White 110W VHO No Reflector	24
AD48/BLUE	420nm Super Actinic 40W No Reflector	24
AD48/BLUE/VHO	420nm Super Actinic 110W VHO No Reflector	24



Aquarium Ballasts



A4+



IC430



IC660



WH33



WH7



WH5

ICECAP® PRODUCTS

UVL PART#	DESCRIPTION
IC/A4 PLUS	UVL A4 PLUS
IC430	ICE CAP 430 BALLAST
IC660	ICE CAP 660 BALLAST
IC430/H6	430 6' HARNESS
IC660/H6	660 6' HARNESS
ICA4H6	A4 6' HARNESS
IC430/EX	430 6' EXTENSION
IC660/EX	660 6' EXTENSION
IC/SLR23	T5 23" REFLECTOR
IC/SLR35	T5 35" REFLECTOR
IC/SLR47	T5 47" REFLECTOR
IC/T5/ENDCAP(PAIR)	T5 ENDCAP
IC/T5/STANDOFF(PAIR)	T5 STANDOFF
IC/MH150/120V	MH150W 120V BALLAST
IC/MH175/120V	MH175W 120V BALLAST
IC/MH250/120V	MH250W 120V BALLAST
IC/MH400/120V	MH400W 120V BALLAST

FULLHAM WORKHORSE BALLAST

UVL PART#	DESCRIPTION	
CASE		
WORKHORSE 33	1-2 F245 V-HO/1-F39T5 V-HO/1-F54T5 V-HO 1-65W/PC	10
WORKHORSE 5	2-3 F245T5 V-HO/1-2 F39T5 V-HO/1-2 F54T5 V-HO/1-65W or 96W/PC	10
WORKHORSE 7	1-4' or 1-6' T12/T10 VHO / 3-F54T5 V-HO /2-65W or 96W/PC	10



Ordering Information

HOURS OF OPERATION: Monday-Friday 8:30am to 5:00pm EST

PHONE: To place an order 800.435.7779

FAX: 216.898.0700

TECHNICAL SUPPORT: 216.267.7055

E-MAIL: jeff@uvlco.com

WEBSITE: www.uvlco.com

PAYMENT: All orders are shipped C.O.D. via UPS or Fed-Ex unless paid by visa, mastercard or discover.

SHIPPING: Freight costs will be determined by weight and destination. Add \$9.50 C.O.D. per box.

HANDLING: All wholesalers will be charged a handling fee of \$5.00 per shipment made to a different location other than their own.

RETURN POLICY: Please do not return merchandise unless an RGA number has been assigned. Credit on merchandise will be given upon return and inspection.

DAMAGE POLICY: Damaged product must be noted with the carrier at time of delivery. Credit will not be issued if there is no validation from the shipping carrier.

CATALOG PRICING: Every effort will be made to maintain catalog pricing throughout the year. However, due to the fluctuating market, prices are subject to change without notice.

UVH₂OLOGY™
Capture the Light of Nature™

UV lighting
company

5225 W 140th Street
Brook Park, OH 44142
www.uvlco.com